

Flora of Ochlockonee River State Park <sup>1</sup>  
 Compiled by Sarracenia Chapter of the Florida Native Plant Society  
 November 2022

<i>Taxon</i>	<i>Common Name</i>	<i>Family</i>	<i>Location Ref.</i> <sup>2</sup>
<i>Acalypha gracilens</i>	slender threeseed mercury	Euphorb.	
<i>Acer rubrum</i>	red maple	Sapind.	dr 30°0'23.8" -84°29'2.2"
<i>Aesculus pavia</i>	red buckeye	Sapind.	
<i>Agalinis aphylla</i>	scaeleaf false foxglove	Oroban.	iNat. 30°0'19" -84°28'47.9"
<i>Agalinis divaricata</i>	pineland false foxglove	Oroban.	dr 30°0'3.9" -84°28'38"
<i>Agalinis filicaulis</i>	Jackson false foxglove	Oroban.	sd
<i>Ageratina aromatica</i>	lesser snakeroot	Aster.	
<i>Agrimonia incisa</i>	incised agrimony	Rosac.	
<i>Aletris lutea</i>	yellow colic-root	Nartheac.	dr 30°0'28" -84°28'50.7"
<i>Amaranthus australis</i>	southern amaranth	Amaran.	sd la 30°0'18.8" -84°28'20"
<i>Ambrosia artemisiifolia</i>	common ragweed	Aster.	
<i>Amorpha fruticosa</i>	false indigo	Fabac.	sd fps.add 29°59'56" -84°28'57.2"
<i>Amphicarpaea bracteata</i>	American hog peanut	Fabac.	
<i>Amphicarpum muhl.</i>	blue maidencane	Poac.	sd
<i>Amsonia ciliata</i>	fringed bluestar	Apocy.	fnps-sub
<i>Andropogon glomeratus</i> var. <i>glauc.</i>	purple bluestem	Poac.	sd
<i>Andropogon gyrans</i>	Elliott's bluestem	Poac.	iNat 30°0'6" -84°28'34.5"
<i>Andropogon virginicus</i> var. <i>decip.</i>	broomsedge bluestem	Poac.	la Dead River zone
<i>Andropogon virginicus</i> var. <i>glauc.</i>	chalky bluestem	Poac.	sd
<i>Angelica dentata</i>	coastalplain angelica	Apiac.	dr 30.00311° -84.48282°
<i>Anthaenantia rufa</i>	purple silkyscale	Poac.	dr 30°0'33.5" -84°29'3.3"
<i>Aralia spinosa</i>	devil's-walkingstick	Araliac.	
<i>Arisaema dracontium</i>	green dragon	Aracea.	
<i>Aristida patula</i>	tall threeawn	Poac.	la 30°0'18" x 84°28'20"
<i>Aristida spiciformis</i>	bottlebrush threeawn	Poac.	sd 30°0'19.6" -84°28'32.1"
<i>Aristida stricta</i>	wiregrass	Poac.	
<i>Aristolochia serpentaria</i>	Virginia snakeroot	Arist.	
<i>Aronia arbutifolia</i>	red chokeberry	Rosac.	sd
<i>Arundinaria gigantea</i>	switchcane	Poac.	sd
<i>Asclepias cinerea</i>	Carolina milkweed	Apocy.	dr 30°0'29.7" -84°28'53.4"
<i>Asclepias connivens</i>	largeflower milkweed	Apocy.	dr 30°0'27.5" -84°28'59.1"
<i>Asclepias lanceolata</i>	fewflower milkweed	Apocy.	dr 30°0'32.5" -84°28'54.3"
<i>Asclepias pedicellata</i>	Savannah milkweed	Apocy.	dr 30°0'21.5" -84°28'27.7"
<i>Asclepias perennis</i>	swamp milkweed	Apocy.	
<i>Asclepias tuberosa</i>	butterfly milkweed	Apocy.	
<i>Asclepias variegata</i>	redring milkweed	Apocy.	
<i>Asclepias viridula</i>	southern milkweed	Apocy.	
<i>Asemeia violacea</i>	showy milkwort	Polygal.	
<i>Asimina parviflora</i>	smallflower pawpaw	Annon.	
<i>Asimina spatulata</i>	slimleaf pawpaw	Annon.	dr 30°0'11.6" -84°28'34.5"
<i>Asplenium platyneuron</i>	ebony spleenwort	Asplen.	
<i>Aureolaria flava</i>	smooth yellow foxglove	Oroban.	
<i>Baccharis halimifolia</i>	grounset tree	Aster.	dr
<i>Bacopa caroliniana</i>	lemon bacopa	Plantag.	dr 30°0'13.5" -84°28'37.1"
<i>Balduina uniflora</i>	oneflower honeycombhead	Aster.	sd fps.add
<i>Baptisia alba</i>	white wild indigo	Fabac.	iNat 30°0' 21.5" x 84°28'39.5"
<i>Baptisia lanceolata</i>	gopherweed	Fabac.	dr 30°0'0.3" -84°30'12.4"
<i>Baptisia lecontei</i>	pineland wild indigo	Fabac.	dr 30°0'14.4" -84°28'57"
<i>Baptisia simplicifolia</i>	scareweed	Fabac.	dr 30°0'0.3" -84°30'12.4"

<i>Taxon</i>	<i>Common Name</i>	<i>Family</i>	<i>Location Ref.</i> <sup>2</sup>
<i>Berchemia scandens</i>	rattan vine	Rhamn.	
<i>Bidens mitis</i>	smallruit beggarticks	Aster.	dr 30°0'22.2" -84°28'58.8"
<i>Bigelowia nudata</i>	pineland rayless goldenrod	Aster.	dr 30.00239° -84.48105°
<i>Bignonia capreolata</i>	crossvine	Bignon.	
<i>Boehmeria cylindrica</i>	false nettle	Urtic.	
<i>Botrychium biternatum</i>	southern grape-fern	Ophio.	
<i>Botrychium virginianum</i>	rattlesnake fern	Ophio.	
<i>Buchnera americana</i>	American bluehearts	Orobanc.	dr 30°0' 11.5" -84°28'38.3"
<i>Bulbostylis ciliatifolia</i>	capillary hairsedge	Cyper.	sd
<i>Callicarpa americana</i>	American beautyberry	Lamiac.	sd
<i>Callisia graminea</i>	grassleaf roseling	Commel.	dr
<i>Calopogon barbatus</i>	bearded grasspink	Orchid.	fps.add
<i>Calopogon pallidus</i>	pale grasspink	Orchid.	fps.add
<i>Calopogon tuberosus</i>	tuberous grasspink	Orchid.	dr 30°0'4.6" -84°29'5.9"
<i>Campsis radicans</i>	trumpet creeper	Bignon.	sd
<i>Carex albolutescens</i>	greenwhite sedge	Cyper.	
<i>Carex basiantha</i>		Cyper.	
<i>Carex cherokeensis</i>	Cherokee sedge	Cyper.	
<i>Carex comosa</i>	longhair sedge	Cyper.	
<i>Carex crus-corvi</i>	ravenfoot sedge	Cyper.	
<i>Carex digitalis</i>	slender woodland sedge	Cyper.	
<i>Carex gigantea</i>	giant sedge	Cyper.	
<i>Carex godfreyi</i>	Godfrey's sedge	Cyper.	
<i>Carex jorii</i>	cypress swamp sedge	Cyper.	
<i>Carex leptalea</i>	bristlystalked sedge	Cyper.	
<i>Carex louisianica</i>	Louisiana sedge	Cyper.	
<i>Carex lupulina</i>	hop sedge	Cyper.	
<i>Carex nigromarginata</i> var. <i>florid.</i>	blackedge sedge	Cyper.	
<i>Carex striatula</i>	lined sedge	Cyper.	
<i>Carex tenax</i>	wire sedge	Cyper.	
<i>Carex tribuloides</i>	blunt broom sedge	Cyper.	
<i>Carex verrucosa</i>	warty sedge	Cyper.	sd
<i>Carphephorus odoratissimus</i>	vanillaleaf	Aster.	dr 30°0'14.6" -84°28'29.6"
<i>Carphephorus paniculatus</i>	hairy chaffhead	Aster.	sd dr 30°0'5.6" -84°29'4.5"
<i>Carpinus caroliniana</i>	blue beech	Betul.	
<i>Cartrema americana</i>	wild olive	Oleac.	
<i>Carya glabra</i>	pignut hickory	Juglan.	
<i>Carya tomentosa</i>	mockernut hickory	Juglan.	
<i>Ceanothus americanus</i>	redroot	Rhamn.	
<i>Celtis laevigata</i>	sugarberry	Cann.	sd
<i>Cenchrus gracillimus</i>	slender sandbur	Poac.	sd
<i>Centella asiatica</i>	spadeleaf	Apiac.	dr 30°0'22.2" -84°28'58.6"
<i>Centrosema virginianum</i>	spurred butterfly pea	Fabac.	
<i>Cephalanthus occidentalis</i>	common buttonbush	Rubi.	sd
<i>Cercis canadensis</i>	eastern redbud	Fabac.	
<i>Chaerophyllum tainturieri</i>	hairyfruit chervil	Apiac.	
<i>Chamaecrista fasciculata</i>	partridge pea	Fabac.	fps.add
<i>Chamaecrista nictitans</i>	sensitive pea	Fabac.	sd
<i>Chasmanthium laxum</i> var. <i>sessil.</i>	slender woodoats	Poac.	
<i>Chasmanthium nitida</i>	shiny woodoats	Poac.	
<i>Chionanthus virginicus</i>	white fringetree	Olea.	dr 30°0'3.2" -84°30'4.8"
<i>Chrysopsis gossypina</i>	cottony goldenaster	Aster.	dr 30°0' 27.9" -84°29'0.3"
<i>Chrysopsis mariana</i>	Maryland goldenaster	Aster.	dr 30°0'27.1" -84°28'50.2"

<i>Taxon</i>	<i>Common Name</i>	<i>Family</i>	<i>Location Ref.</i> <sup>2</sup>
<i>Cicuta maculate</i>	spotted water hemlock	Apiac.	
<i>Cirsium horridulum</i>	purple thistle	Aster.	dr 30°0'19.2" -84°28'23.5"
<i>Cirsium nuttallii</i>	Nuttall's thistle	Aster.	
<i>Cladium jamaicense</i>	Jamaica swamp sawgrass	Cyper.	sd
<i>Cleistesiosis oricamporum</i>	fragrant pogonia	Orchid.	fps.sub
<i>Clematis crispa</i>	swamp leather-flower	Ranunc.	dr 30°0'18.8" x 84°28'20"
<i>Clethra alnifolia</i>	coastal sweetpepperbush	Cleth.	dr 30°0'7.7" -84°30'13.1"
<i>Cliftonia monophylla</i>	black titi	Cyrril.	dr 30°0'1.2" -84°30'2.9"
<i>Clitoria mariana</i>	Atlantic pigeonwings	Fabac.	
<i>Cnidocolus stimulosus</i>	tread softly	Euphorb.	
<i>Cocculus carolinus</i>	Carolina coralbead	Coccu.	
<i>Commelina erecta</i>	whitemouth dayflower	Commel.	
<i>Conoclinium coelestinum</i>	blue mistflower	Aster.	
<i>Coreopsis lanceolata</i>	lanceleaf tickseed	Aster.	dr 30°0'13.1" -84°30'12.8"
<i>Coreopsis linifolia</i>	Texas tickseed	Aster.	dr 30°0'25" -84°28'53.4"
<i>Cornus asperifolia</i>	roughleaf dogwood	Cornac.	
<i>Cornus florida</i>	flowering dogwood	Cornac.	
<i>Cornus foemina</i>	swamp dogwood	Cornac.	sd
<i>Crataegus flava</i>	yellowleaf hawthorn	Rosa.	
<i>Crataegus marshallii</i>	parsley hawthorn	Rosa.	
<i>Crataegus uniflora</i>	dwarf hawthorn	Rosa.	
<i>Crataegus viridis</i>	green hawthorn	Rosa.	
<i>Crinum Americanum</i>	string lily	Amar.	sd
<i>Crocantemum arenicola</i>	coastalsand frostweed	Cista.	
<i>Crocantemum carolinianum</i>	Carolina frostweed	Cista.	dr 29°59'58.3" -84°28'49"
<i>Crocantemum corymbosum</i>	pinebarren frostweed	Cista.	fps.add
<i>Crotalaria rotundifolia</i>	rabbitbells	Fabac.	
<i>Croton argyranthemus</i>	silver croton	Euphorb.	30°0'29.1" -84°29'0.9"
<i>Croton michauxii</i>	rushfoil	Euphorb.	
<i>Ctenium aromaticum</i>	toothache grass	Poac.	dr
* <i>Cyclosporum leptophyllum</i>	marsh parsley	Cyclo.	
<i>Cyperus articulatus</i>	jointed flatsedge	Cyper.	1a Dead River zone
<i>Cyperus filiculmis</i>	wiry flatsedge	Cyper.	1a 30°0'20" x 84°28'23"
<i>Cyperus ovatus</i>	pinebarren flatsedge	Cyper.	1a 30°0'22" x 84°28'57"
<i>Cyperus polystachyos</i>	manyspike flatsedge	Cyper.	1a 30°0'18" x 84°28'20"
<i>Cyperus strigosus</i>	strawcolored flatsedge	Cyper.	1a 30°0'18" x 84°28'20"
<i>Cyperus virens</i>	green flatsedge	Cyper.	1a 30°0'18" x 84°28'20"
<i>Cyrrilla racemiflora</i>	titi	Cyrril.	sd
<i>Dalea feayi</i>	feay's prairieclover	Fabac.	dr 30°0'9.5" -84°28'27.8"
<i>Desmodium lineatum</i>	sand ticktrefoil	Fabac.	dr 30°0'25.9" -84°29'0.4"
<i>Desmodium paniculatum</i>	panicled ticktrefoil	Fabac.	iNat. 30°0'12.7" -84°28'17.4"
<i>Desmodium rotundifolium</i>	prostrate ticktrefoil	Fabac.	
<i>Dichanthelium aciculare</i>	needleleaf witchgrass	Poac.	sd
<i>Dichanthelium commutatum</i>	variable witchgrass	Poac.	sd
<i>Dichanthelium dichotomum</i>	cypress witchgrass	Poac.	sd
<i>Dichanthelium laxiflorum</i>	openflower witchgrass	Poac.	
<i>Dichanthelium scabriusculum</i>	woolly witchgrass	Poac.	dr 30°0'29.4" -84°28'50.5"
<i>Dichondra carolinensis</i>	Carolina ponysfoot	Conv.	sd
<i>Diodia virginiana</i>	Virginia buttonweed	Rubi.	sd
<i>Dioscorea villosa</i>	wild yam	Dios.	
<i>Diospyros virginiana</i>	common persimmon	Eben.	sd
<i>Ditrysinia fruticosa</i>	gulf sebastian-bush	Euphorb.	
<i>Drosera brevifolia</i>	dwarf sundew	Dros.	sd dr 30°0'3.8" -84°29'6.9"

<i>Taxon</i>	<i>Common Name</i>	<i>Family</i>	<i>Location Ref.</i> <sup>2</sup>
<i>Dyschoriste oblongifolia</i>	oblongleaf twinflower	Acanth.	
<i>Echinochloa walteri</i>	coast cockspur	Poac.	la 30°0'19.5" x 84°28'20.6"
<i>Edrastima uniflora</i>	clustered mille grains	Rubi.	sd
<i>Eleocharis baldwinii</i>	Baldwin's spikerush roadgrass	Cyper.	sd
<i>Elephantopus carolinianus</i>	Carolina elephantsfoot	Aster.	
<i>Elephantopus elatus</i>	tall elephantsfoot	Aster.	30°0'21.7" -84°28'59.3"
<i>Elymus virginicus</i>	Virginia wildrye	Poac.	
<i>Epidendrum conopseum</i>	green-fly orchid	Orchid.	
<i>Epifagus virginiana</i>	beachdrops	Oroban.	
<i>Eragrostis hirsuta</i>	bigtop lovegrass	Poac.	la 30°0'20.2" x 84°28'21.7"
<i>Eragrostis sp.</i>	lovegrass	Poac.	sd
<i>Erechtites hieracifolius</i>	American burnweed	Aster.	dr 30°0'25.4" -84°28'30.8"
<i>Erigeron strigosus</i>	prairie fleabane	Aster.	
<i>Erigeron vernus</i>	early whitetop fleabane	Aster.	sd dr 30°0'7.5" -84°29'3.7"
<i>Eriocaulon compressum</i>	flattened pipewort	Erioc.	dr 30°0'22.4" -84°28'29.3"
<i>Eriocaulon decangulare</i>	tenangle pipewort	Erioc.	sd
<i>Eryngium yuccifolium</i>	button eryngo	Apiac.	30°0'34.1" -84°28'54.9"
<i>Erythrina herbacea</i>	coralbean	Fabac.	
<i>Euonymus americanus</i>	American strawberrybush	Celastra.	
<i>Eupatorium album</i>	white thoroughwort	Aster.	sd
<i>Eupatorium capillifolium</i>	dogfennel	Aster.	sd
<i>Eupatorium compositifolium</i>	yankeeweed	Aster.	
<i>Eupatorium mohrii</i>	Mohr's thoroughwort	Aster.	fps.add
<i>Eupatorium perfoliatum</i>	common boneset	Aster.	sd 29°59'59.3" -84°30'11.3"
<i>Euphorbia discoidalis</i>	summer spurge	Euphorb.	
<i>Euphorbia exserta</i>	coastal spurge	Euphorb.	
<i>Eurybia eryngiifolia</i>	thistleleaf aster	Aster.	dr 30°0'25.3" -84°28'54.1"
<i>Eustachys glauca</i>	saltmarsh fingergrass	Poac.	la 30°0'20.7" x 84°28'22.8"
<i>Eustachys sp.</i>	Fingergrass	Poac.	dr 30°0'13.5" -84°28'21.1"
<i>Euthamia caroliniana</i>	slender flattop goldenrod	Aster.	dr 30°0'14.1" -84°28'22.6"
<i>Euthamia graminifolia</i>	flattop goldenrod	Aster.	dr 30°0'18.7" -84°28'23.5"
<i>Eutrochium fistulosum</i>	Joe Pye weed	Aster.	dr 30°0'1.9" -84°30'2.2"
<i>Fagus grandifolia</i>	American beech	Fagac.	
<i>Festuca subverticillata</i>	nodding fescue	Poac.	
<i>Fimbristylis annua</i>	forked fimbry	Cyper.	la 30°0'20" x 84°28'23"
<i>Fimbristylis caroliniana</i>	Carolina fimbry	Cyper.	la 30°0'20" x 84°28'23"
<i>Flaveria linearis</i>	narrowleaf yellowtops	Aster.	
<i>Fraxinus americana</i>	white ash	Oleac.	
<i>Fraxinus caroliniana</i>	Carolina ash	Oleac.	sd
<i>Fraxinus pennsylvanica</i>	green ash	Oleac.	sd
<i>Galactia mollis</i>	soft milkpea	Fabac.	sd
<i>Galium circaezans</i>	forest bedstraw	Rubi.	
<i>Galium pilosum</i>	hairy bedstraw	Rubi.	
<i>Galium uniflorum</i>	oneflower bedstraw	Rubi.	
<i>Gaylussacia dumosa</i>	dwarf huckleberry	Ericac.	sd
<i>Gaylussacia frondosa</i>	blue huckleberry	Ericac.	sd dr 30°0'5.6" -84°29'4.5"
<i>Gelsemium sempervirens</i>	yellow jessamine	Gelsem.	
<i>Gentiana pennelliana</i>	wiregrass gentian	Gentian.	
<i>Geobalanus oblongifolia</i>	gopher apple	Chrysob.	sd
<i>Geranium carolinianum</i>	Carolina cranesbill	Geran.	
<i>Gleditsia aquatica</i>	water locust	Fabac.	sd
<i>Gonolobus suberosus</i>	angle pod	Apocyn.	
<i>Gordonia lasianthus</i>	loblolly bay	Theac.	dr 30°0'3.7" -84°30'4.6"

<i>Taxon</i>	<i>Common Name</i>	<i>Family</i>	<i>Location Ref.</i> <sup>2</sup>
*Grona triflora	threeflower ticktrefoil	Fabac.	sd la 30°0'18.4" -84°28'22.2"
Habenaria repens	waterspider false reinorchid	Orchid.	sd
Hamamelis virginiana	American witchhazel	Hamamel.	
Helianthus angustifolius	narrowleaf sunflower	Aster.	dr 30°0'22.1" -84°28'58.1"
Helianthus heterophyllus	variableleaf sunflower	Aster.	dr 30°0'24.8" -84°28'59.1"
Helianthus radula	stiff sunflower	Aster.	dr 30°0'13.2" -84°28'57.9"
Hibiscus aculeatus	comfortroot	Malvac.	fps.add
Hieracium gronovii	queen-devil	Aster.	
Houstonia procumbens	innocence	Rubi.	
Hydrangea barbara	climbing hydrangea	Hydran.	sd
Hydrocotyle verticillata	whorled marshpennywort	Araliac.	
Hymenocallis rotata	spring-run spiderlily	Amaryll.	
Hypericum brachyphyllum	coastalplain St. Johns-wort	Clusi.	dr 30°0'17.7" -84°28'58.5"
Hypericum crux-andraea	St. Peter's-wort	Clusi.	sd
Hypericum fasciculatum	sandweed	Clusi.	sd
Hypericum hypericoides	St.Andrew's-cross	Clusi.	sd
Hypericum microsepalum	flatwoods St. Johns-wort	Clusi.	dr 30°0'19.3" -84°28'57.5"
Hypericum myrtifolium	myrtleleaf St.John's-wort	Clusi.	fps.add
Hypericum tetrapetalum	fourpetal St.John's wort	Clusi.	sd
Hypoxis curtissii	common yellow stargrass	Hypox.	
Hypoxis juncea	fringed yellow stargrass	Hypox.	sd la Dead River zone
Hyptis alata	musky mint	Lamiac.	sd dr 30°0'7.5" -84°29'3.7"
Ilex ambigua	Carolina holly	Aquifol.	
Ilex cassine var. cassine	dahoon	Aquifol.	sd dr 30°0'23.9" -84°29'2.7"
Ilex cassine var. myrtifolia	myrtle dahoon	Aquifol.	
Ilex coriacea	large gallberry	Aquifol.	dr 30°0'7.7" -84°30'13.1"
Ilex decidua	possumhaw	Aquifol.	
Ilex glabra	gallberry	Aquifol.	sd
Ilex opaca var. opaca	American holly	Aquifol.	sd
Ilex vomitoria	yaupon	Aquifol.	sd
Indigofera caroliniana	Carolina indigo	Fabac.	dr 30°0'27" -84°28'25.8"
Ipomoea pandurata	man-of-the-earth	Convolv.	
Ipomoea sagittata	saltmarsh morning glory	Convolv.	30°0'24.7" -84°28'31.9"
Ipomoea violacea	beach moonflower	Convolv.	
Iris virginica	Virginia iris	Iridac.	fps.add
Itea virginica	Virginia willow	Iteac.	sd
Juncus coriaceous	leathery rush	Juncac.	
Juncus dichotomus	forked rush	Juncac.	la 30°0'18.8" x 84°28'20.6"
Juncus marginatus	shore rush	Juncac.	sd
Juncus polycephalus	manyhead rush	Juncac.	
Juncus scirpoides	needlepod rush	Juncac.	dr 30°0'19.5" -84°28'57.1"
Juniperus virginiana	red cedar	Cupress.	sd
Justicia ovata	waterwillow	Acanth.	
Krigia virginica	Virginia dwarfdandelion	Aster.	
Lachnanthes caroliniana	Carolina redroot	Haemo.	sd
Lachnocaulon ?minus	bogbutton	Erioc.	dr 30°0'36.9" -84°29'2.7"
Lactuca floridana	woodland lettuce	Aster.	
Lechea mucronata	hairy pinweed	Cista.	sd
Lemna sp.	duckweed	Aracea.	
Lepidium virginicum	Virginia pepperweed	Brassic.	
Lespedeza angustifolia	narrowleaf lespedeza	Fabac.	sd
Lespedeza repens	creeping lespedeza	Fabac.	
Liatis gracilis	slender gayfeather	Aster.	sd 30°0'1.5" -84°28'40.7"

<i>Taxon</i>	<i>Common Name</i>	<i>Family</i>	<i>Location Ref.</i> <sup>2</sup>
<i>Liatrix provincialis</i>	Godfrey's gayfeather	Aster.	dr 30°0'14.6" -84°28'29.6"
<i>Liatrix spicata</i>	dense gayfeather	Aster.	sd
<i>Liatrix tenuifolia</i>	shortleaf gayfeather	Aster.	dr 30°0'27" -84°28'49.7"
<i>Lilium catesbaei</i>	pine lily	Liliac.	dr 30°0'18.2" -84°28'57.9"
<i>Linaria canadensis</i>	Canadian toadflax	Plantag.	
<i>Lindera benzoin</i>	northern spicebush	Laurac.	
<i>Liquidambar styraciflua</i>	sweetgum	Alting.	sd
<i>Liriodendron tulipifera</i>	tuliptree	Magnol.	dr 30°0'3.5" -84°30'5.5"
<i>Lobelia cardinalis</i>	cardinalflower	Campan.	sd
<i>Lobelia glandulosa</i>	glade lobelia	Campan.	dr 30.00227° -84.48010°
<i>Lobelia paludosa</i>	white lobelia	Campan.	dr 30°0'15.3" -84°28'25.2"
<i>Lonicera sempervirens</i>	coral honeysuckle	Caprif.	
<i>Lophiola aurea</i>	colden crest	Narthec.	dr 30°0'22.5" -84°28'29.9"
<i>Ludwigia ?virgata</i>	primrosewillow	Onagra.	dr 30°0'31" -84°29'0.6"
<i>Ludwigia repens</i>	creeping primrosewillow	Onagra.	sd
<i>Ludwigia sphaerocarpa</i>	globefruit primrosewillow	Onagra.	sd
<i>Lupinus villosus</i>	lady lupine	Fabac.	dr 30°0'9.3" -84°28'29.6"
<i>Lycopodiella alopecuroides</i>	foxtail club-moss	Lycopod.	dr 30°0'22.7" -84°29'0.9"
<i>Lygodesmia aphylla</i>	rose-rush	Aster.	sd dr 30°0'13.7" -84°28'57.5"
* <i>Lygodium japonicum</i>	Japanese climbing fern	Schiz.	dr 30°0'8" -84°28'46.9"
<i>Lyonia ferruginea</i>	rusty staggerbush	Ericac.	sd
<i>Lyonia lucida</i>	fetterbush	Ericac.	dr 29°59'59.7" -84°30'5.5"
<i>Lysimachia lanceolata</i>	loosestrife	Myrsi.	
<i>Magnolia grandiflora</i>	southern magnolia	Magnol.	
<i>Magnolia virginiana</i>	sweetbay	Magnol.	sd dr 30°0'23.6" -84°29'3.1"
<i>Malaxis unifolia</i>	green addersmouth orchid	Orchid.	
<i>Malus angustifolia</i>	southern crabapple	Rosac.	
<i>Mayaca fluviatilis</i>	stream bogmoss	Mayaca.	dr 30°0'22.2" -84°28'58.6"
<i>Mecardonia acuminata</i>	axilflower	Plantag.	
<i>Melanthera nivea</i>	snow squarestem	Aster.	dr 30°0'25.4" -84°28'25.5"
<i>Melothria pendula</i>	creeping cucumber	Cucurbit.	
<i>Mikania scandens</i>	climbing hempvine	Aster.	sd dr 30°0'24.7" -84°28'31.9"
<i>Mimosa quadrivalvis</i> var. <i>angustata</i>	sensitive brier	Fabac.	dr 30°0'28.4" -84°29'0.6"
<i>Mitchella repens</i>	partridgeberry	Rubia.	
<i>Mitreola petiolata</i>	lax hornpod	Logani.	
<i>Mitreola sessilifolia</i>	swamp hornpod	Logani.	dr 29°59'59" x 84°29'48"
<i>Monarda punctata</i>	spotted bee balm	Lamiac.	
<i>Monotropa uniflora</i>	indianpipe	Ericac.	
<i>Morella caroliniensis</i>	northern bayberry	Myric.	dr 30°0'1.8" -84°28'54.5"
<i>Morella cerifera</i>	wax myrtle	Myric.	sd
<i>Morus rubra</i>	red mulberry	Morac.	
<i>Muhlenbergia capillaris</i>	hairawn muhly	Poac.	29°59'57.1" -84°28'54"
* <i>Murdannia nudiflora</i>	naked-stem dewflower	Commelin.	la 30°0'16.9" x 84°28'21.1"
* <i>Myriophyllum aquaticum</i>	parrot feather watermilfoil	Haloragac.	dr 30°0'1" -84°28' 41"
<i>Nabulus serpentaria</i>	cankerweed	Aster.	
<i>Najas guadalupensis</i>	southern waternymph	Hydroch.	
<i>Nekemias arborea</i>	pepper-vine	Vitac.	sd 29°59'55" -84°28'59"
<i>Neottia bifolia</i>	southern twayblade	Orchid.	
<i>Nymphaea odorata</i>	American white waterlily	Nymph.	dr 30°0'23.4" -84°28'59.3"
<i>Nymphoides aquatica</i>	big floatingheart	Menyan.	dr 30°0'23.6" -84°28'59.3"
<i>Nyssa biflora</i>	swamp tupelo	Nyssac.	sd dr 30°0'23.8" -84°29'2.2"
<i>Nyssa sylvatica</i>	blackgum	Nyssac.	

<i>Taxon</i>	<i>Common Name</i>	<i>Family</i>	<i>Location Ref.</i> <sup>2</sup>
<i>Oclemena reticulata</i>	whitetop	Aster.	dr 30°0'21.8" -84°29'0.7"
<i>Oenothera laciniata</i>	cutleaf eveningprimrose	Onagra.	
<i>Oenothera simulans</i>	southern beeblossom	Onagra.	
* <i>Oldenlandia corymbosa</i>	flattop milles graines	Rubi.	la 30°0'16.9" x 84°28'21.1"
<i>Onoclea sensibilis</i>	sensitive fern	Onoclea.	
* <i>Oplismenus hirtellus</i>	woodsgrass	Poac.	
<i>Opuntia humifusa</i>	pricklypear	Cactac.	Sd
<i>Osmunda regalis v.spectabilis</i>	royal fern	Osmun.	Sd
<i>Osmundastrum cinnamomeum</i>	cinnamon fern	Osmun.	dr 30°0'10" -84°30'13.1
<i>Oxalis corniculata</i>	creeping woodsorrel	Oxalid.	
<i>Packera glabella</i>	butterweed	Aster.	iNat. 30°0'25.5" -84°28'25.8"
<i>Panicum virgatum</i>	switchgrass	Poac.	dr 30°0' 19.6" -84°28' 57.4"
<i>Paronychia baldwinii</i>	Baldwin's nailwort	Caryo.	
<i>Parthenocissus quinquefolia</i>	wood bine	Vitac.	Sd
<i>Paspalum floridanum</i>	Florida paspalum	Poac.	dr 30°0' 20.8" -84°28'57.9"
<i>Paspalum laeve</i>	field paspalum		dr 30°0'28.4" -84°28'50.3"
* <i>Paspalum notatum</i>	bahiagrass	Poac.	Sd
<i>Paspalum plicatum</i>	brownseed paspalum	Poac.	dr 30°0' 12.4" -84°28' 35.8"
<i>Paspalum setaceum</i>	thin paspalum	Poac.	Sd
* <i>Paspalum urvillei</i>	vaseygrass	Poac.	iNat 30°0' 28.9" -84°28'29"
<i>Passiflora lutea</i>	yellow passionflower	Passif.	
<i>Peltandra virginica</i>	green arrow arum	Araceae	la 30°0'18.8" x 84°28'20.6"
<i>Persea borbonia</i>	red bay	Laurac.	
<i>Persea palustris</i>	swamp bay	Laurac.	sd dr 30°0'11.1" -84°29'6.6"
<i>Persicaria hydropiperoides</i>	swamp smartweed	Polygon.	Sd
<i>Phaseolus polystachios</i>	thicket bean	Fabac.	
<i>Phlox floridana</i>	Florida phlox	Polem.	
<i>Phoradendron leucarpum</i>	oak mistletoe	Visca.	
<i>Phragmites australis</i> subsp. berlandieri	common reed	Poac.	fnps sub 29°59'55"-84°28'59"
<i>Phyla nodiflora</i>	fogfruit	Verbena.	dr 30°0' 8.1" -84°28'44.8"
<i>Physalis</i> sp.	groundcherry	Solanac.	
<i>Physostegia leptophylla</i>	slenderleaf false dragonhead	Lamiac.	
<i>Phytolacca americana</i>	American pokeweed	Phytola.	
<i>Pinguicula lutea</i>	yellow butterwort	Lentib.	dr 30°0'7.4" -84°28'57.8"
<i>Pinguicula pumila</i>	small butterwort	Lentib.	dr 30°0'22.2" -84°28'28.3"
<i>Pinus echinata</i>	shortleaf pine	Pinac.	sd
<i>Pinus elliotii</i>	slash pine	Pinac.	sd
<i>Pinus glabra</i>	spruce pine	Pinac.	
<i>Pinus palustris</i>	longleaf pine	Pinac.	sd
<i>Pinus serotina</i>	pond pine	Pinac.	dr 30°0'31" -84°29'0.3"
<i>Pinus taeda</i>	loblolly pine	Pinac.	sd
<i>Piptochaetium avenaceum</i>	blackseed needlegrass	Poac.	
<i>Piriqueta cistoides</i> subsp. caroliniana	pitted stripeseed	Turnera.	
<i>Pityopsis aspera</i>	pineland silkgrass	Aster.	sd
<i>Pityopsis flexuosa</i>	zigzag silkgrass	Aster.	dr 30.00390° -84.48244°
<i>Pityopsis graminifolia</i>	narrowleaf silkgrass	Aster.	dr
<i>Pityopsis oligantha</i>	grassleaf goldenaster	Aster.	dr 30°00'25.0" -84°28'53.2"
<i>Plantago virginica</i>	Virginia plantain	Plantag.	
<i>Platanthera chapmanii</i>	Chapman's fringed orchid	Orchid.	fps.add
<i>Platanthera flava</i>	Southern tubercled orchid	Orchid.	
<i>Pleopeltis michauxiana</i>	resurrection fern	Polypodi.	sd

<i>Taxon</i>	<i>Common Name</i>	<i>Family</i>	<i>Location Ref.</i> <sup>2</sup>
<i>Pluchea baccharis</i>	rosy camphorweed	Aster.	dr 30°0'13.5" -84°28'37.1"
<i>Pluchea camphorata</i>	camphorweed	Aster.	sd
<i>Pluchea foetida</i>	stinking camphorweed	Aster.	sd
<i>Pluchea odorata</i>	sweetscent	Aster.	iNat 29°59'57.6" x 84°28'50.9"
* <i>Poa annua</i>	annual bluegrass	Poac.	
<i>Pogonia ophioglossoides</i>	rose pogonia	Orchid.	dr 30°0'28.3" -84°28'59.4"
<i>Polygala cruciata</i>	drumheads	Polygal.	dr 30°0'28.4" -84°28'50.3"
<i>Polygala cymosa</i>	tall pinebarren milkwort	Polygal.	dr 30°0'37.9" -84°28'57.1"
<i>Polygala lutea</i>	orange milkwort	Polygal.	sd dr 30°0'5.6" -84°29'4.5"
<i>Polygala nana</i>	candyroot	Polygal.	dr 30°0'24.4" -84°28'25.1"
<i>Polygonum pinicola</i>	tall jointweed	Polygon.	dr 30.00761° -84.47871°
<i>Polypremum procumbens</i>	rustweed	Tetrach.	sd 30°0'17.4" -84°28'25.7"
<i>Pontederia cordata</i>	pickerelweed	Ponted.	sd
* <i>Pontederia crassipes</i>	common water-hyacinth	Ponted.	iNat 30°0'12.3" x 84°28'18.4"
<i>Ponthieva racemosa</i>	hairy shadow witch	Orchid.	
<i>Populus deltoides</i>	eastern cottonwood	Salica.	
<i>Potamogeton illinoensis</i>	Illinois pondweed	Potam.	
* <i>Potentilla indica</i>	indian strawberry	Rosa.	
<i>Proserpinaca pectinata</i>	combleaf mermaidweed	Halorag.	dr 30°0'22.2" -84°28'58.6"
<i>Prunus americana</i>	American plum	Rosa.	
<i>Prunus caroliniana</i>	Carolina laurelcherry	Rosa.	
<i>Prunus serotina</i>	black cherry	Rosa.	sd
<i>Prunus umbellata</i>	hog plum	Rosa.	
<i>Pseudognaphalium obtusifolium</i>	rabbit tobacco	Aster.	
<i>Pteridium aquilinum</i> v. <i>pseudocau.</i>	tailed bracken	Dennst.	sd
<i>Pterocaulon pycnostachyum</i>	blackroot	Aster.	sd
<i>Ptilimnium capillaceum</i>	mock bishopsweed	Apiac.	
<i>Pyrrhopappus carolinianus</i>	Carolina desertchicory	Aster.	
<i>Quercus alba</i>	white oak	Fagac.	
<i>Quercus austrina</i>	bastard white oak	Fagac.	
<i>Quercus falcata</i>	southern red oak	Fagac.	
<i>Quercus geminata</i>	sand live oak	Fagac.	sd
<i>Quercus incana</i>	bluejack oak	Fagac.	sd
<i>Quercus laevis</i>	turkey oak	Fagac.	sd
<i>Quercus laurifolia</i>	laurel oak	Fagac.	sd
<i>Quercus margarettae</i>	sand post oak	Fagac.	sd
<i>Quercus michauxii</i>	basket oak	Fagac.	
<i>Quercus minima</i>	dwarf live oak	Fagac.	sd
<i>Quercus myrtifolia</i>	myrtle oak	Fagac.	dr 30°0'11.6" -84°28'34.1"
<i>Quercus nigra</i>	water oak	Fagac.	sd
<i>Quercus virginiana</i>	live oak	Fagac.	sd
<i>Rhexia alifanus</i>	Savannah meadowbeauty	Melast.	sd
<i>Rhexia lutea</i>	yellow meadowbeauty	Melast.	dr 30°0'25.6" -84°28'31.1"
<i>Rhexia mariana</i>	pale meadowbeauty	Melast.	sd fps.add
<i>Rhexia petiolata</i>	fringed meadowbeauty	Melast.	dr 30°0'19.2" -84°28'23.6"
<i>Rhododendron canescens</i>	sweet pinxter azalea	Ericac.	dr 30°0'0.1" -84°30'10.1"
<i>Rhododendron viscosum</i>	swamp azalea	Ericac.	fps sub 29°59'59.2" - 84°28'53"
<i>Rhus copallinum</i>	winged sumac	Anacard.	sd
<i>Rhynchosia difformis</i>	doubleform snoutbean	Fabac.	
<i>Rhynchosia reniformis</i>	dollarleaf	Fabac.	sd
<i>Rhynchospora caduca</i>	anglestem beaksedge	Cyper.	



<i>Taxon</i>	<i>Common Name</i>	<i>Family</i>	<i>Location Ref.</i> <sup>2</sup>
<i>Rhynchospora cephalantha</i>	bunched beaksedge	Cyper.	dr 30°0'28.4" -84°28' 50.3"
<i>Rhynchospora colorata</i>	starrush whitetop	Cyper.	fps.add
<i>Rhynchospora corniculata</i>	shortbristle horned beaksedge	Cyper.	sd la 30°0'20.7" -84°28'22.8"
<i>Rhynchospora fascicularis</i>	fascicled beaksedge	Cyper.	iNat 30°0'9" -84°28' 41.6"
<i>Rhynchospora latifolia</i>	giant whitetop	Cyper.	fps.add
<i>Rhynchospora megalocarpa</i>	sandyfield beaksedge	Cyper.	sd
<i>Rhynchospora microcarpa</i>	southern beaksedge	Cyper.	
<i>Rhynchospora mixta</i>	mingled beaksedge	Cyper.	
* <i>Rosa laevigata</i>	Cherokee rose	Rosac.	fps.add
<i>Rosa palustris</i>	swamp rose	Rosac.	sd
<i>Rubus cuneifolius</i>	sand blackberry	Rosac.	
<i>Rubus pensilvanicus</i>	sawtooth blackberry	Rosac.	sd
<i>Rubus trivialis</i>	southern dewberry	Rosac.	dr 30°0'2.8" -84°28'38.5"
<i>Ruellia caroliniensis</i>	Carolina wild petunia	Acanth.	
<i>Rumex hastatulus</i>	heartwing dock	Polygon.	
<i>Rumex verticillatus</i>	swamp dock	Polygon.	29.99893° -84.48188°
<i>Sabal minor</i>	dwarf palmetto	Arec.	
<i>Sabal palmetto</i>	cabbage palm	Arec.	
<i>Sabatia brevifolia</i>	shortleaf rosegentian	Gentian.	sd fps.add 30°0'14.4" - 84°28'23.3"
<i>Sabatia calycina</i>	coastal rosegentian	Gentian.	
<i>Sabatia decandra</i>	Bartram's rosegentian	Gentian.	dr 30°0'25.1" -84°28'32"
<i>Sabatia macrophylla</i>	largeleaf rosegentian	Gentian.	dr 30°0'30.8" -84°29'0.3"
<i>Saccharum giganteum</i>	sugarcane plumegrass	Poac.	30°0'0.5" -84°28'53".3"
<i>Sagina decumbens</i>	trailing pearlwort	Caryo.	
<i>Sagittaria kurziana</i>	springtape	Alismat.	
<i>Sagittaria lancifolia</i>	bulltongue arrowhead	Alismat.	sd
<i>Salix caroliniana</i>	Carolina willow	Salic.	sd
<i>Salvia lyrata</i>	lyreleaf sage	Lamiac.	
* <i>Salvinia minima</i>	water spangles	Salvin.	dr 30°0'25.4" -84°28'25.3"
<i>Sambucus nigra</i> subsp. <i>cana</i> .	elderberry	Adox.	dr 30°0'2.3" -84°30'2.8"
<i>Samolus valerandi</i> subsp. <i>parviflorus</i>	pineland pimpernel	Samol.	
<i>Sanicula canadensis</i>	Canadian blacksnakeroot	Apiac.	
<i>Sassafras albidum</i>	sassafras	Laurac.	
<i>Saururus cernuus</i>	lizard's tail	Saurur.	sd dr 30°0'4.1" -84°29'7"
<i>Schizachyrium stoloniferum</i>	creeping little bluestem	Poac.	dr 30°0'25.9" -84°28'26"
<i>Scirpus cyperinus</i>	woolgrass	Cyper.	sd dr 30°0'5.5" - 84°28'57.7"
<i>Scirpus lineatus</i>	drooping bulrush	Cyper.	
<i>Scleria ciliata</i>	fringed nutrush	Cyper.	sd la 30°0'20" x 84°28'23"
<i>Scleria oligantha</i>	littlehead nutrush	Cyper.	
<i>Scleria triglomerata</i>	tall nutgrass	Cyper.	
<i>Scutellaria integrifolia</i>	helmet skullcap	Lamiac.	
<i>Serenoa repens</i>	saw palmetto	Areca.	sd
<i>Sericocarpus tortifolius</i>	whitetop aster	Aster.	sd 30°0'8.7" -84°28'30.9"
<i>Sesbania herbacea</i>	danglepod	Fabac.	fps.add
* <i>Sesbania punicea</i>	rattlebox	Fabac.	dr 30°0'25.4" -84°28'25.3"
<i>Setaria parviflora</i>	yellow bristlegrass	Poac.	
<i>Seymeria cassioides</i>	yaupon blacksenna	Oroban.	sd 30°0'13" -84°28'58.4"
<i>Seymeria pectinata</i>	piedmont blacksenna	Oroban.	dr 30°0'13.2" -84°28'57.9"
<i>Sida rhombifolia</i>	Indian hemp	Malvac.	
<i>Sideroxylon lanuginosum</i>	gum bully	Sapotac.	
<i>Silphium asteriscus</i>	starry rosinweed	Aster.	

<i>Taxon</i>	<i>Common Name</i>	<i>Family</i>	<i>Location Ref.</i> <sup>2</sup>
* <i>Sisyrinchium rosulatum</i>	annual blue-eyed grass	Iridac.	iNat 30°0'6" x 84°28'53.1"
<i>Sisyrinchium</i> sp.	blue-eyed grass	Iridac.	dr 30°0'28.4" -84°28'50.3"
<i>Sium suave</i>	hemlock waterparsnip	Apiac.	sd
<i>Smilax auriculata</i>	earleaf greenbrier	Smilac.	sd
<i>Smilax bona-nox</i>	saw greenbrier	Smilac.	sd
<i>Smilax ecirrhata</i>	upright carrionflower	Smilac.	
<i>Smilax glauca</i>	cat greenbrier	Smilac.	
<i>Smilax laurifolia</i>	laurel greenbrier	Smilac.	
<i>Smilax pumila</i>	sarsaparilla vine	Smilac.	
<i>Smilax smallii</i>	Jackson vine	Smilac.	
<i>Smilax tamnoides</i>	bristly greenbrier	Smilac.	
<i>Smilax walteri</i>	coral greenbrier	Smilac.	
<i>Solanum carolinense</i> var. <i>florid.</i>	Florida horsenettle	Solanac.	
<i>Solidago canadensis</i> var. <i>scabra</i>	Canada goldenrod	Aster.	
<i>Solidago mexicana</i>	seaside goldenrod	Aster.	iNat 30°0'20.2" x 84°28'57.5"
<i>Solidago odora</i> var. <i>odora</i>	anisescented goldenrod	Aster.	dr 30°0'21.7" -84°28'59.3"
<i>Solidago stricta</i>	wand goldenrod	Aster.	dr 30°0'1.5" -84°28'40.7"
<i>Sophronanthe hispida</i>	rough hedgehyssop	Plantag.	dr 30°0'14" x 84°28'57"
<i>Sorghastrum nutans</i>	yellow Indiangrass	Poac.	dr 30°0'21.8" x 84°28'58.4"
<i>Sorghastrum secundum</i>	lopsided indiangrass	Poac.	dr 30°0'19.3" -84°28'56.9"
<i>Spartina bakeri</i>	sand cordgrass	Poac.	dr 29°59'57.4" -84°28'49.2"
<i>Spartina patens</i>	saltmeadow cordgrass	Poac.	la 30°0'18" x 84°28'20"
<i>Sphenopholis obtusata</i>	prairie wedgescale	Poac.	
<i>Spiranthes lacera</i>	Eaton's ladyestresses	Orchid.	fps add 30°0'16.4" -84°28'24.8"
<i>Spiranthes praecox</i>	greenvein ladyestresses	Orchid.	dr 30°0'22.3" -84°28'59.7"
<i>Spiranthes tuberosa</i>	little ladyestresses	Orchid.	
<i>Stenanthium densum</i>	crowpoison	Melan.	dr 30°0'20.5" -84°28'58.8"
<i>Stillingia sylvatica</i>	queensdelight	Euphorb.	sd dr 30°0'0.6" -84°29'6.7"
<i>Stylisma humistrata</i>	southern daffodil	Convolv.	sd
<i>Stylisma patens</i>	coastalplain daffodil	Convolv.	dr 30°0'12.2" -84°28'21.2"
<i>Stylosanthes biflora</i>	sidebeak pencilflower	Fabac.	dr 30°0'27.9" -84°29'0.5"
<i>Symphyotrichum adnatum</i>	scaleleaf aster	Aster.	dr 30°0'36.3" -84°29'7.5"
<i>Symphyotrichum carolinianum</i>	climbing aster	Aster.	la 30°0'20.8" x 84°28'22"
<i>Symphyotrichum chapmanii</i>	Savannah aster	Aster.	dr 29.99934° -84.47992°
<i>Symphyotrichum dumosum</i>	rice button aster	Aster.	dr 30.00212° -84.48039°
<i>Symphyotrichum tenuifolium</i>	perennial saltmarsh aster	Aster.	la 30°0'19.5" x 84°28'20.6"
<i>Symphyotrichum urophyllum</i>	white arrowleaf aster	Aster.	
<i>Symplocos tinctoria</i>	horse sugar	Symploc.	
<i>Syngonanthus flavidulus</i>	yellow hatpins	Erioc.	dr 30°0'29" -84°28'47.9"
<i>Taxodium ascendens</i>	pond-cypress	Cupress.	sd
<i>Taxodium distichum</i>	bald-cypress	Cupress.	sd
<i>Tephrosia spicata</i>	spiked hoarypea	Fabac.	
<i>Teucrium canadense</i>	wood sage	Lamiac.	dr 30°0'13.3" - 84°28'22.6"
<i>Thelypteris kunthii</i>	southern shield fern	Thelyp.	
<i>Thyrsanthella difformis</i>	climbing dogbane	Apocyn.	
<i>Tiedemannia filiformis</i> subsp. <i>filiformis</i>	water cowbane	Apiac.	dr 30.00231° -84.4808°
<i>Tilia americana</i>	basswood	Malvac.	
<i>Tillandsia usneoides</i>	Spanish moss	Bromel.	sd
<i>Tipularia discolor</i>	crane fly orchid	Orchid.	
* <i>Torenia crustacea</i>	Malaysian false pimpernel	Linderni.	la 30°0'18" x 84°28'21.6"
<i>Toxicodendron radicans</i>	eastern poison ivy	Anacard.	sd
<i>Tradescantia ohiensis</i>	Ohio spiderwort	Commel.	fps.add

<i>Taxon</i>	<i>Common Name</i>	<i>Family</i>	<i>Location Ref.</i> <sup>2</sup>
<i>Tragia urens</i>	wavyleaf noseburn	Euphorb.	
<i>Trichostema dichotomum</i>	forked bluecurls	Lamiac.	sd
<i>Tridens flavus</i>	purpletop tridens	Poac.	
<i>Trifolium carolinianum</i>	Carolina clover	Fabac.	
* <i>Trifolium dubium</i>	low hop clover	Fabac.	dr 30°0'13.1" -84°30'12.8"
<i>Triodanis biflora</i>	small Venus' looking-glass	Campan.	
<i>Triodanis perfoliata</i>	clasping Venus' looking-glass	Campan.	
<i>Tripsacum dactyloides</i>	eastern gamagrass	Poac.	30°0'13.3" -84°28'22.8"
<i>Typha</i> sp.	cattail	Typhac.	
<i>Ulmus alata</i>	winged elm	Ulmac.	
<i>Ulmus americana</i>	American elm	Ulmac.	sd
<i>Utricularia subulata</i>	zigzag bladderwort	Lentib.	dr 30°0'7.8" -84°28'59"
<i>Vaccinium arboreum</i>	sparkleberry	Ericac.	dr 30°0'11.6" -84°28'34.5"
<i>Vaccinium corymbosum</i>	highbush blueberry	Ericac.	sd
<i>Vaccinium darrowi</i>	Darrow's blueberry	Ericac.	sd
<i>Vaccinium elliottii</i>	Elliott's blueberry	Ericac.	
<i>Vaccinium myrsinites</i>	shiny blueberry	Ericac.	dr 30°0'12.1" -84°28'34.3"
<i>Vaccinium stamineum</i>	deerberry	Ericac.	
<i>Vallisneria americana</i>	American eelgrass	Hydroch.	sd
<i>Verbena carnea</i>	Carolina false vervain	Verbena.	
<i>Vernonia angustifolia</i>	tall ironweed	Aster.	sd
<i>Viburnum dentatum</i>	southern arrowwood	Adoxac.	
<i>Viburnum nudum</i>	possumhaw	Adoxac.	
<i>Viburnum obovatum</i>	Walter's viburnum	Adoxac.	sd
<i>Viburnum rufidulum</i>	rusty blackhaw	Adoxac.	sd
<i>Vicia acutifolia</i>	fourleaf vetch	Fabac.	dr 29°59'57.6" -84°28'47.8"
* <i>Vicia sativa</i>	common vetch	Fabac.	dr 30°0'13.1" -84°30'12.8"
<i>Viola lanceolata</i>	bog white violet	Violac.	dr 30°0'29" -84°28'47.7"
<i>Viola palmata</i>	early blue violet	Violac.	
<i>Viola sororia</i>	common blue violet	Violac.	
<i>Viola walteri</i>	prostrate blue violet	Violac.	
<i>Vitis aestivalis</i>	summer grape	Vitac.	
<i>Vitis cinerea</i> var. <i>floridana</i>	Florida grape	Vitac.	
<i>Vitis rotundifolia</i>	muscadine	Vitac.	sd
<i>Vitis vulpina</i>	frost grape	Vitac.	
<i>Wisteria frutescens</i>	American wisteria	Fabac.	
* <i>Wisteria sinensis</i>	Chinese wisteria	Fabac.	fps.add
<i>Woodwardia areolate</i>	netted chain fern	Blechn.	dr 30°0'1.6" -84°30'1.4"
<i>Woodwardia virginica</i>	Virginia chain fern	Blechn.	sd
<i>Xyris ?curtissii</i>	Curtiss' yelloweyed grass	Xyridac.	sd
<i>Xyris ambigua</i>	coastalplain yelloweyed grass	Xyridac.	dr 30°0'24.8" -84°28'49.7"
<i>Xyris caroliniana</i>	Carolina yelloweyed grass	Xyridac.	dr 30°0'24.8" -84°28'50.5"
<i>Xyris elliottii</i>	Elliott's yelloweyed grass	Xyridac.	dr 30°0'27.4" -84°28'50.2"
<i>Xyris jupicai</i>	Richard's yelloweyed grass	Xyridac.	sd
<i>Yucca aloifolia</i>	Spanish bayonet	Agava.	dr 30°0'5.4" -84°28'34.7"
<i>Yucca filamentosa</i>	Adam's needle	Agavac.	sd
<i>Zizania aquatica</i>	annual wild rice	Poac.	sd

<sup>1</sup> Compiled by merging several documents :

-a park plant list compiled by Dr. Shirley Denton of Fla. Native Plant Society in September 2010 and available through the Park as pdf of spreadsheet, this containing Dr. Denton's added species entries in green shading and all entries of the pre-existing plant list;

- an Excel spreadsheet of mid-2018, by Fla. Park Service, containing 63 species entries with internal title ORSP Plant List Additions;
  - finds communicated by Fla. Park Service by any means subsequent to FPS spreadsheet cited just above;
  - the tabular “New Entries for the Plant List of Ochlockonee River State Park” by David Roddenberry of Sarracenia Chapter of the Fla. Native Plant Society, date May 31, 2021, consisting of Table A for new entries of species and Table B for observed stations of species previously listed;
  - identifications given by Dr. Loran C. Anderson from his visits to the Park in September 2022 or later;
  - posts by various individuals to the online iNaturalist, from within the Park, with photos, when the post is accorded “research grade” or better in iNaturalist.
- <sup>2</sup> Codes for the location column: sd for the Shirley Denton work; fps.add for the 2018 Fla. Park Service work; fps.sub for subsequent Fla. Park Svc. finds; dr for the David Roddenberry work; la for the Loran Anderson contributions; iNat. for iNaturalist posts
- \* Species not native to Florida